SMART KITCHEN





00

О неко Ос



Electronic board (ENERGY MANAGER

Manual controls via **watertight control knob**, made of AISI 304 stainless steel



Lid flush with worktop for pasta cooker, brasing pan and fryer





SMART KITCHEN

750

HIGH PERFORMANCE CUSTOMIZED KITCHEN UNIT

- > 5 mm sheet metal thickness working plane
- > 340 mm height cooking unit

- Possibility of cantilever installation
 Possibility of installation on neutral of refrigerated cabinets
 Possibility to choose rear or side drains
- > Rounded corners for easy cleaning on refrigerated, heated or neutral cabinets



DESCRIPTION

750 TOP SERIES

the working area

High performance cooking appliances:

- > 10 liters fryer power 7,8 kW
- > 10+10 liters fryer power 15,6 kW
- > 20 liters fryer power 15,6 kW
- > Fryers equipped with automatic oil filtering system
- > Pasta cooker power 9,6 kW
- > 18 liters bratt pan power 6 kW
- > Titanium multifunction fry-top power 6 kW

Я

•**•••**••••

8

•

□ 8

Ċ.

- > Induction plate -power 7 kW each
- > Energy manager system

П Upright wall installation **`@`**@' **`@`**@' • • • • • • • • • for an easy cleaning of

(**@** _ **@**'


`@`**`@**`

0 000 8 000 0 0 0 8 6 6

750 SMART SERIES

Installation on neutral or refrigerated cupboards

FI	FCTRIC-	-PLUMBING	CONNEC	TIONS
		LOWDING		





Lateral electric-hydraulic connections for installation on existing cupboards or masonry working plan



Heko Srl

Via dell'industria, 15 - 33098 Valvasone Arzene (PN) T. +39 0434 858710 F. +39 0434 857477 sales@heko.it www.heko.it